HOTSHEET

Q4 2025 Instant Rebates on Select and Updated SKUs

Offer Term: September 29, 2025 - December 31, 2025 (while supplies last)

Grow revenue and your customer base by taking advantage of compelling savings opportunities on Honeywell's leading mobile computers, printers and scanners. For a limited time, we are offering aggressive instant rebates on qualifying sales of the products listed below.

FEATURED PRODUCTS



Granit XLR 1990i and 1991i Scanner

The Granit™ scanners expand capabilities and redefine ultrarugged scanning. With best-in-class drop specs and tumble performance, durable is the Granit scanner's middle name. With a recessed and scratch and impact resistant window, the 1991i is built with a long term solution in mind.



PC45 RFID Desktop Printer

Built on the Honeywell Printer Edge™ platform, the PC45D 4-inch direct thermal printer offers a large touchscreen, enterprise-level ruggedness, and optimized low label and low ribbon warning workflows to predict and reduce downtime.





CT45 Mobile Computer

The CT45 mobile computers, built on the Mobility Edge platform, are rugged, all-purpose productivity tools ensuring ultra-reliable performance, data connectivity and communications for front-line mobile workers in retail, logistics, and fieldwork.



LNX3 3-Inch Mobile Printer

LNX3 mobile label and receipt printer brings the power and reliability of Honeywell printers into a durable, lightweight, direct thermal printer meeting or exceeding industry printer specifications. With intuitive set-up and interface for premium printing performance for retail, and light manufacturing applications.



Xenon Ultra Scanner

Cordless scanner that incorporates next-generation scan technology to provide premium performance and reliability with wireless workflow flexibility. The Xenon Ultra scanner offers superior scanning performance on damaged or poorquality barcodes and is engineered to perform with a high degree of accuracy minimizing the need to rescan.



CK65 Mobile Computer

With the longest supported lifecycle available, up to 28-hour* battery life, and enhanced ruggedness, the CK65 maximizes productive uptime, while providing an easy path for users migrating from legacy WindowsTM operating systems to the Android platform.



TERMS AND CONDITIONS

All Honeywell Productivity Solutions and Services Partners located in US and Canada are eligible to participate.

The Offer

- Resellers will receive rebates in the form of an instant rebate (price reduction) at the time of purchase for SKUs listed in Table A.
- All products in Table A are currently in Honeywell's distributor inventory or Honeywell's inventory are included in this program and can make up eligible orders.

Exclusions

- Custom SKUs are excluded.
- Accessories are excluded.
- Orders for the additional rebates must be placed and invoiced to the partner between September 29, 2025 and December 31,
 2025. No backlog will be supported.

Stackability

- Rebate is stackable with Performance Partner Discounts, and Project Registration Discounts (PRs).
- Rebates cannot be combined with any other product promotions.

Other


- Equipment orders for the additional rebates must be placed to and invoiced by distributor between September 29, 2025, and December 31, 2025. No backlog will be supported.
- Standard lead times apply to orders for devices.
- Honeywell has the right to change, modify, or cancel the promotion at any time.
- All prices and rebate amounts related to this promotion are in USD.
- Account must be current and in good standing to participate.
- Standard terms and conditions of your distribution agreement apply.
- Product must be purchased from an authorized United States and Canada Honeywell Distributor.
- Any claims related to this rebate must be submitted prior to January 31, 2026.



TABLE A: COMPLETE LIST OF SKUS

 All below products currently in Honeywell's distributor or Honeywell's inventory are included in this program and can make up eligible orders.

<u>sku</u>	SKU DESCRIPTION	REBATE
1960HHD-5USB-N	Xenon Ultra USB Kit: Tethered, Healthcare, 1D/2D, High Density, White Anti-Microbial Scanner 1960HHD-5, USB Cable (CBL-500-300-S00), NA	5%
1962HSR-5USB- WCBF	Xenon Ultra USB Kit: Bluetooth, Healthcare, 1D/2D, Standard Range, Vibrator, Wireless Charging, White Anti-Microbial Scanner 1962HSR-5-WCBF, SuperCap (SUPCAP-SCN11WCHC), USB Cable (3012-6337-001), Presentation Base (CCB-U00-H & 1962H-WC-CUP), Global	10%
1962HSR-5USB-WC-N	Xenon Ultra USB Kit: Bluetooth, Healthcare, 1D/2D, Standard Range, Vibrator, Wireless Charging, White Anti-Microbial Scanner 1962HSR-5-WC, Battery (BAT-SCN11WCHC), USB Cable (3012-6337-001), Presentation Base (CCB-U00-H & 1962H-WC-CUP), NA	10%
1990ISR-3USB-N	Granit XP USB Kit: Tethered, Rugged, 1D/2D, Standard Range, Vibrator, Red Scanner 1990iSR-3, USB Cable (CBL-500-300-S00), NA	5%
1990IXLR-3-N	Granit XP Scanner-Only: Tethered, Rugged, 1D/2D, FlexRange XLR, Vibrator, Red Scanner, NA	10%
1990iXLR-3SER-N	Granit XP RS232 Kit: Tethered, Rugged, 1D/2D, FlexRange XLR, Vibrator, Red Scanner 1990iXLR-3, RS232 Cable (CBL-020-300-C00-01), NA	5%
1990IXR-3-N	Granit XP Scanner-Only: Tethered, Rugged, 1D/2D, FlexRange, Vibrator, Red Scanner, NA	10%
1990IXR-3SER-N	Granit XP RS232 Kit: Tethered, Rugged, 1D/2D, FlexRange, Vibrator, Red Scanner 1990iXR-3, RS232 Cable (CBL-020-300-C00), NA	5%
1991ISR-3-N	Granit XP Scanner-Only: Bluetooth, Rugged, 1D/2D, Standard Range, Vibrator, Contact Charging, Red Scanner, Battery (BAT-SCN05), NA	10%
1991ISR-3USB-5-N	Granit XP USB Kit: Bluetooth, Rugged, 1D/2D, Standard Range, Vibrator, Contact Charging, Red Scanner 1991iSR-3, Battery (BAT-SCN05), USB Cable (CBL-500-300-S00), Horizontal Base (CCB22-100BT-03N-N), NA	5%
1991IXLR-3USB-5-N	Granit XP USB Kit: Bluetooth, Rugged, 1D/2D, FlexRange XLR, Vibrator, Contact Charging, Red Scanner 1991iXLR-3, Battery (BAT-SCN05), USB Cable (CBL-500-300-S00), Horizontal Base (CCB22-100BT-03N-N), NA	5%
CK65-L0N-B8C214F	CK65,4GB/32GB Memory,Alphanumeric,N6803 FlexRange,Camera,SCP,GMS,Disinfectant Ready,Standard Environment,FCC	5%
CK65-L0N-BLC210F	CK65,4GB/32GB Memory,Alphanumeric,FlexRange XLR,Camera,SCP,GMS,Disinfectant Ready,FCC	5%
CK65-L0N-BLC212F	CK65,4GB/32GB Memory,Alphanumeric,FlexRange XLR,Camera,SCP,GMS,Cold Storage,Disinfectant Ready,FCC	5%
CK65-L0N-BLC212F	CK65,4GB/32GB Memory,Alphanumeric,FlexRange XLR,Camera,SCP,GMS,Cold Storage,Disinfectant Ready,FCC	5%
CK65-L0N-BLC212F	CK65,4GB/32GB Memory,Alphanumeric,FlexRange XLR,Camera,SCP,GMS,Cold Storage,Disinfectant Ready,FCC	5%
CK65-L0N-BMC210F	CK65,4GB/32GB Memory,Alphanumeric,EX20 Near/Far Range 2D Area Image,Camera,SCP,GMS,Disinfectant Ready,Standard Environment,FCC	5%
CK65-L0N-BMC210F	CK65,4GB/32GB Memory,Alphanumeric,EX20 Near/Far Range 2D Area Image,Camera,SCP,GMS,Disinfectant Ready,Standard Environment,FCC	5%
CK65-L0N-D8C215F	CK65,4GB/32GB Memory,Numeric-F keys,N6803 FlexRange,Camera,SCP,GMS,Disinfectant Ready,FCC	10%



855 S Mint Street Charlotte, NC 28202 877-841-2840 www.honeywell.com



CT30P-L1N-38D1EDG	CT30XP: 4G&WIFI5, Nano & ESim, 5.5' Screen, Full Touchscreen, 6GB/64GB, FlexRange Engine-Red Laser, Front & Rear Camera, Standard Battery, GMS, IP67, Standard Environment & Battery, No Gov Cert., Launcher/Browser/BasicTE, Global	5%
CT45P-L1N-38D120G	CT45XP: 4G&WIFI5, Dual Nano Sim, 5.0' Screen, Full Touchscreen, 6GB/64GB, FlexRange Engine-Green Laser, Front & Rear Camera, Standard Battery, GMS, IP65/68, Standard Environment & Battery, No Gov Cert., Launcher/Browser/BasicTE, Global	5%
CT45P-L1N-38D120G	CT45XP: 4G&WIFI5, Dual Nano Sim, 5.0' Screen, Full Touchscreen, 6GB/64GB, FlexRange Engine-Green Laser, Front & Rear Camera, Standard Battery, GMS, IP65/68, Standard Environment & Battery, No Gov Cert., Launcher/Browser/BasicTE, Global	5%
CT45P-X0N-37D100G	CT45XP: WIFI6, No Sim, 5.0' Screen, Full Touchscreen, 6GB/64GB, Standard Range Engine-Red Laser, Front & Rear Camera, Standard Battery, GMS, IP65/68, Standard Environment & Battery, No Gov Cert., Launcher/Browser/BasicTE, Global	5%
CT45P-X0N-3ED100G	CT45XP: WIFI6, No Sim, 5.0' Screen, Full Touchscreen, 6GB/64GB, FlexRangeXLR Engine-Red Laser, Front & Rear Camera, Standard Battery, GMS, IP65/68, Standard Environment & Battery, No Gov Cert., Launcher/Browser/BasicTE, Global	5%
CT47-X1N-37D1E0G	CT47: 5G&WIFI6E, Nano & ESim, 5.5' Screen, Full Touchscreen, 6GB/128GB, Standard Range Engine-Red Laser, Front & Rear Camera, Standard Battery, GMS, IP65/68, Standard Environment & Battery, No Gov Cert., Launcher/Browser/BasicTE, Global	5%
CT47-X1N-38D1E0G	CT47: 5G&WIFI6E, Nano & ESim, 5.5' Screen, Full Touchscreen, 6GB/128GB, FlexRange Engine-Green Laser, Front & Rear Camera, Standard Battery, GMS, IP65/68, Standard Environment & Battery, No Gov Cert., Launcher/Browser/BasicTE, Global	5%
CT47-X1N-57D1E0G	CT47: 5G&WIFI6E, Nano & ESim, 5.5' Screen, Full Touchscreen, 8GB/128GB, Standard Range Engine-Red Laser, Front & Rear Camera, Standard Battery, GMS, IP65/68, Standard Environment & Battery, No Gov Cert., Launcher/Browser/BasicTE, Global	5%
LNX3-0-N00B201	LNX3, 3 inch mobile printer, Black, NFC, Battery included, USB C cable, power adapter, BT5.0, US/C + LA + CSAR	5%
LNX3-1-N00B201	LNX3, 3 inch mobile printer, Black, NFC, Battery included, USB C cable, power adapter, BT5.0, WLAN 802.11 a/b/g/n, US/C + LA + CSAR	10%
MPD31D112	3" MOBILE PRINTER, US AC	5%
PC45D00NA00201	PC45, Desktop Printer, Direct Thermal, 203 DPI, 4 inch label width, Ethernet, Full Touchscreen, US Power Cord, RFID Encoder (UHF N America 915 MHz)	10%
PC45D010000201	PC45, Desktop Printer, Direct Thermal, 203 DPI, 4 inch label width, Ethernet/Bluetooth/WLAN (N America)/NFC, Full Touchscreen, US Power Cord,	5%
PC45T000000201	PC45, Desktop Printer, Thermal Transfer, 203 DPI, 4 inch label width, Ethernet, Full Touchscreen, US Power Cord	5%
PD45S0C0010000200	PD45S: Industrial Printer, Thermal Transfer, 203DPI, 4" label width, LCD Display, Ethernet/USB, No Power Cord (sold separately)	5%
PM45A10000000400	PM45: Industrial Printer, Thermal Transfer, 406DPI, 4´ label width, Touch Display, Ethernet/USB, Standard Roller, No Power Cord (sold separately)	10%
PM45CA1020000200	PM45C: Industrial Printer, Thermal Transfer, 203DPI, 4´ label width, Touch Display, Ethernet/USB, Standard Roller, Mega Dome Door, No Power Cord (sold separately)	10%
RP4F00N0B12	RP4: Mobile Printer, Direct Thermal, 203DPI, 4' label width, No Display, USB, Bluetooth, No Power Cord (sold separately), Standard Platen Roller, Battery and Belt clip included. Order USB cable (210304-100-SP)seperately, Assy in Mexico, NA	10%

WindowsTM is a trademark of Microsoft Corporation.

Honeywell Industrial Automation 855 S Mint Street Charlotte, NC 28202 877-841-2840

www.honeywell.com

