

TOP RUNNER PR

A Stackable Project Registration Discount Offer

Offer Term: January 1, 2026 – March 27, 2026

Receive a stackable Project Registration (PR) discount off select Top Runner PR SKUs. Offer applies to new and existing PRs. **Project Registration (PR) is required** to take advantage of this offer.

WHAT'S TOP RUNNER PR?

Top Runner PR can be used in conjunction with a Honeywell Project Registration. The program is designed to maximize reseller growth by offering exclusive price protection tied to the project business. Take your savings even further stacking this offer on top of the discounts you enjoy as part of being a Honeywell Performance Partner.

PROMOTIONAL DISCOUNT EXAMPLE

Current Partner PR Discount = 7%
Additional Top Runner PR Discount = 5%

TOTAL PR DISCOUNT = 12%
on Eligible Devices and Accessories

TABLE A – ELIGIBLE SKUs FOR TOP RUNNER PR 5% DISCOUNT

PRODUCT FAMILY	SKU	NEW TO PROMO 1/01/26	DESCRIPTION	ELIGIBLE PR DISCOUNT
CT70	CT70-LON-058CS104G	N	CT70: WiFi7/6E, 6" Screen, Full Touchscreen, 8GB/128GB, FlexRange Engine-Green Laser, Front & Rear Camera, Standard Battery, GMS, IP65/68, No Gov Cert, Launcher/Browser/BasicTE, Global	5%
	CT70-LON-057CS104G	N	CT70: WiFi7/6E, 6" Screen, Full Touchscreen, 8GB/128GB, Standard Range Engine-Red Laser, Front & Rear Camera, Standard Battery, GMS, IP65/68, No Gov Cert, Launcher/Browser/BasicTE, Global	5%
CW45	CW45-XON-AND10SG	N	CW45 , Weable Mobile Computer, WiFi 6, 6/64GB, 8/13MP Front/Side Facing Cameras, Standard Battery (3400mAh). Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License). Includes Mount and Comfort Pad, Arm Strap and Charger Required and Sold Separately	5%
CK67	CK67-XON-57S1A0G	N	CK67 : WiFi6E, 4.3" Screen, 51-Key Alphanumeric, 8GB/128GB, Standard Range Engine-Red Laser, Front&Rear Camera, Standard Battery, GMS, IP65/68, Standard, Launcher/Browser/BasicTE, Global	5%
	CK67-XON-58S1A0G	N	CK67 : WiFi6E, 4.3" Screen, 51-Key Alphanumeric, 8GB/128GB, FlexRange Engine-Green Laser, Front&Rear Camera, Standard Battery, GMS, IP65/68, Standard, Launcher/Browser/BasicTE, Global	5%
	CK67-XON-57S1B0G	N	CK67 : WiFi6E, No Sim, 4.3" Screen, 38-Key Numeric F-Key, 8GB/128GB, Standard Range Engine-Red Laser, Front & Rear Camera, Standard Battery, GMS, IP65/68, Standard Environment & Battery, No Gov Cert, Launcher/Browser/BasicTE, Global	5%
	CK67-XON-58S1B0G	N	CK67 : WiFi6E, No Sim, 4.3" Screen, 38-Key Numeric F-Key, 8GB/128GB, FlexRange Engine-Green Laser, Front & Rear Camera, Standard Battery, GMS, IP65/68, Standard Environment & Battery, No Gov Cert, Launcher/Browser/BasicTE, Global	5%
	CK67-XON-57S1C0G	N	CK67 : WiFi6E, No Sim, 4.3" Screen, 30-Key Large Numeric, 8GB/128GB, Standard Range Engine-Red Laser, Front & Rear Camera, Standard Battery, GMS, IP65/68, Standard Environment & Battery, No Gov Cert, Launcher/Browser/BasicTE, Global	5%
	CK67-XON-58S1C0G	N	CK67 : WiFi6E, No Sim, 4.3" Screen, 30-Key Large Numeric, 8GB/128GB, FlexRange Engine-Green Laser, Front & Rear Camera, Standard Battery, GMS, IP65/68, Standard Environment & Battery, No Gov Cert, Launcher/Browser/BasicTE, Global	5%
CK62	CK62-X00-57S1ACG	N	CK62 : Wi-Fi 6E, 4" Screen, 47-Key Alphanumeric, 8GB/128GB, Standard Range Engine - Red Laser, Rear Camera, Standard Battery, GMS, IP65, Standard, Launcher/Brower/BasicTE, No Adapter, Global	5%
	CK62-X00-5ES1ACG	N	CK62 : Wi-Fi 6E, 4" Screen, 47-Key Alphanumeric, 8GB/128GB, FlexRangeXLR Engine-Red Laser, Rear Camera, Standard Battery, GMS, IP65, Standard, Launcher/Brower/BasicTE, No Adapter, Global	5%
	CK62-X00-5ES1BCG	N	CK62 : Wi-Fi 6E, 4" Screen, 38-Key Numeric F-Key, 8GB/128GB, FlexRangeXLR Engine-Red Laser, Rear Camera, Standard Battery, GMS, IP65, Standard, Launcher/Brower/BasicTE, No Adapter, Global	5%
	CK62-X00-57S1BCG	N	CK62 : Wi-Fi 6E, 4" Screen, 38-Key Numeric F-Key, 8GB/128GB, Standard Range Engine - Red Laser, Rear Camera, Standard Battery, GMS, IP65, Standard, Launcher/Brower/BasicTE, No Adapter, Global	5%

Honeywell

TABLE A – ELIGIBLE SKUS FOR TOP RUNNER PR 5% DISCOUNT (CONTINUED)

PRODUCT FAMILY	SKU	NEW TO PROMO 1/01/26	DESCRIPTION	ELIGIBLE PR DISCOUNT
CT45	CT45-LON-28D100G	N	CT45, WLAN, 4 G/64 G, 5-inch 1280 x 720P HD, FlexRange™, 13 MP/8 MP, 802.11a/b/g/n/ac/r/k/mc, BT5.1, Android™ GMS, Battery, IP68&65, Metal Battery Latch Button, Audio Jack, USB 3.0 Type C OTG, PTT, GLB	5%
	CT45-L1N-27D120G	N	CT45, WWAN, 4 G/64 G, 5-inch 1280 x 720P HD, S0703, 13 MP/8 MP, 802.11 a/b/g/n/ac/r/k/mc, Dual SIMs, BT5.1, Android™ GMS, Battery, IP68 & 65, Metal Battery Latch Button, USB 3.0 Type C OTG, PTT, FCC	5%
CT45 XP	CT45P-XON-38D100G	N	CT45XP, WLAN, 6 G/64 G, 5-inch 1920 x 1080P full HD, FlexRange™, 13 MP/8 MP, 802.11 a/b/g/n/ac/r/k/mc/ax, 2*2 MIMO, BT5.1 & 2nd BLE, Android™ GMS, Battery, Warm Swap, IP68&65, Metal Battery Latch Button, Audio Jack, USB 3.0 Type C OTG, PTT, GLB	5%
	CT45P-L1N-37D120G	N	CT45XP, WWAN, 6 G/64 G, 5-inch 1920 x 1080P full HD, Standard 0703 scan engine, 13 MP/8 MP, 802.11a/b/g/n/ac/r/k/mc, 2 x Nano SIM, BT5.1 & 2nd BLE, Battery, Warm Swap, IP67 & 65, Metal Battery Latch Button, USB Type C OTG, PTT, GLB	5%
CT32	CT32-XON-57S1FBU	N	CT32: WiFi6E, No Sim, 6" Screen, Full Touchscreen, 8GB/128GB, Standard Range Engine-Red Laser, Front & Rear Camera, NFC, GMS, IP68, Standard Environment & Standard Battery (4500mAh), Launcher/Browser/BasicTE, US&C	5%
	CT32-XON-37S1FBU	N	CT32: WiFi6E, No Sim, 6" Screen, Full Touchscreen, 6GB/128GB, Standard Range Engine-Red Laser, Front & Rear Camera, NFC, GMS, IP68, Standard Environment & Standard Battery (4500mAh), Launcher/Browser/BasicTE, US&C	5%
CT37	CT37-XON-57S10DG	N	CT37 Disinfectant Ready, WLAN, 8G/128G, DDR5 RAM, UFS 3.1, 6.0-inch 2280x1080 Full HD, S0703SR Standard Range, 13/8MP, WiFi 6E, BT5.3 with 2nd BLE, Standard Battery IP65/68, USB 3.1 Type C OTG, QC4.0, PTT, HandStrap, Hot Swap, GMS, Global	5%
	CT37-XON-58S10DG	N	CT37 Disinfectant Ready, WLAN, 8G/128G, DDR5 RAM, UFS 3.1, 6.0-inch 2280x1080 Full HD, S0803FR FlexRange Green Aimer Spot, 13/8MP, WiFi 6E, BT5.3 with 2nd BLE, Standard Battery IP65/68, USB 3.1 Type C OTG, QC4.0, PTT, HandStrap, Hot Swap, GMS, Global	5%
	CT37-XON-56S10HG	N	CT37 Healthcare, Disinfectant Ready, WLAN, 8G/128G, DDR5 RAM, UFS 3.1, 6.0-inch 2280x1080 Full HD, N6700, 13/8MP, WiFi 6E, BT5.3 with 2nd BLE, Standard Battery IP65/68, USB 3.1 Type C OTG, QC4.0, PTT, USB-C Plug, Hot Swap, GMS, Global	5%
CT47	CT47-XON-3ED100G	N	CT47, Wi-Fi 6E, 6 G/128 G, 5.5-inch 2160 x 1080P full HD, FlexRange™ XLR, 8/13 MP, Wi-Fi 6E, 1 nano SIM & 1 eSIM, BT5.2, Android™ GMS, Battery, Warm Swap, IP65/68, USB-C 3.0, PTT, Global	5%
	CT47-XON-38D100G	N	CT47, Wi-Fi 6E, 6 G/128 G, 5.5-inch 2160 x 1080P full HD, FlexRange™, 8/13 MP, Wi-Fi 6E, 1 nano SIM & 1 eSIM, BT5.2, Android™ GMS, Battery, Warm Swap, IP65/68, USB-C 3.0, PTT, Global	5%
	CT47-X1N-37D1E0G	N	CT47, WWAN 5G, 6 G/128 G, 5.5-inch 2160 x 1080P full HD, Standard Range, 8/13 MP, Wi-Fi 6E, 1 nano SIM & 1 eSIM, BT5.2, Android™ GMS, Battery, Warm Swap, IP65/68, USB-C 3.0, PTT, Global	5%
VM1A	VM1A-LON-1A1A20F	N	VM1A, Indoor Resistive, Android™ ML GMS, SCP, 4 GB/32 GB, 802.11abgnac, Internal WLAN Antennas, Bluetooth™, FCC	5%
	VM1A-LON-1A4A20F	N	VM1A, Indoor Capacitive, Android™ ML GMS, SCP, 4 GB/32 GB, 802.11abgnac, Internal WLAN Antennas, Bluetooth™, FCC	5%
	VM1A-LON-1A2A20F	N	VM1A, Defroster Resistive, Android™ ML GMS, SCP, 4 GB/32 GB, 802.11abgnac, Internal WLAN Antennas, Bluetooth™, FCC	5%
VM3	VM3W201A1AUS1JA1	N	VM3W, Indoor Resistive, 802.11a/b/g/n, Bluetooth™, Int WLAN Antenna, 8 G RAM, 128 G Flash, Win 10 2019, US	5%
	VM3A-LON-1A4A20F	N	VM3A, Indoor Capacitive, Android™ ML GMS, Device Client Pack, 4 GB/32 GB, 802.11abgnac, Internal WLAN Antennas, Bluetooth, FCC	5%
1470G	1470G2D-2USB-1-N	N	Voyager USB Kit: Tethered, General Duty, 1D/2D, Standard Range, Black Scanner 1470G2D-2, USB Cable (CBL-500-150-S00), With stand, Assy in Mexico, NA	5%
1472G	1472G2D-2USB-5-N	N	Voyager USB Kit: Bluetooth, General Duty, 1D/2D, Standard Range, Contact Charging, Black Scanner 1472G2D-2, Battery (BAT-SCN01A), USB Cable (CBL-500-300-S00), Presentation Base (CCB01-010BT-V1N), NA, assy in Mexico	5%
1960G	1960GSR-2USB-N	N	Xenon Ultra USB Kit: Tethered, General Duty, 1D/2D, Standard Range, Black DRH 1960GSR-2, USB Cable (CBL-500-300-S00), NA	5%
2100XLR	2100IXLR-3USBN	Y	Granit Ultra USB Kit: Tethered, Rugged, 1D/2D, Extreme Ultra Long Range, Vibrator, Red Scanner (2100IXLR-3), USB Cable (CBL-500-300-S00), NA	5%
2105XLR	2105IXLR-3USB-CLHN	Y	Granit Ultra USB Kit: Cordless, Bluetooth, Rugged, 1D/2D, Extreme Ultra Long Range, Vibrator, Contact Charging, Red Scanner (2105IXLR-3-CL), Battery (BAT-SCN11), USB Cable (CBL-500-300-S00), Horizontal Base (CCB23-100BT-07N), NA	5%
2100SR	2100ISR-3USBN	Y	Granit Ultra USB Kit: Tethered, Rugged, 1D/2D, Standard Range, Vibrator, Red Scanner (2100ISR-3USB), USB Cable (CBL-500-300-S00), NA	5%
2100XR	2100IXR-3USBN	Y	Granit Ultra USB Kit: Tethered, Rugged, 1D/2D, FlexRange, Vibrator, Red Scanner (2100IXR-3USB), USB Cable (CBL-500-300-S00), NA	5%
2105SR	2105ISR-3USB-CLHN	Y	Granit Ultra USB Kit: Cordless, Bluetooth, Rugged, 1D/2D, Standard Range, Vibrator, Contact Charging, Red Scanner (2105ISR-3USB-CL), Battery (BAT-SCN11), USB Cable (CBL-500-300-S00), Horizontal Base (CCB23-100BT-07N), NA	5%
2105XR	2105IXR-3USB-CLHN	Y	Granit Ultra USB Kit: Cordless, Bluetooth, Rugged, 1D/2D, FlexRange, Vibrator, Contact Charging, Red Scanner (2105IXR-3USB-CL), Battery (BAT-SCN11), USB Cable (CBL-500-300-S00), Horizontal Base (CCB23-100BT-07N), NA	5%
RP2	RP2FOONOD10	N	RP2, BT5+Wifi5 NA,BATT,MX, TAA Compliant	5%
RP4	RP4FOONOD12	N	RP4, BT5+Wifi5 NA,BATT,MX, TAA Compliant	5%
PC45	PC45T000000201	N	PC45T, Thermal Transfer, LCD, Latin Font, RTC, Ethernet, 203 DPI, US Power Cord	5%
	PC45D000000201	N	PC45D, Direct Thermal, LCD, Latin Font, RTC, Ethernet, 203 DPI, US Power Cord	5%
PX45	PX45A000000020300	N	PX45A, Ethernet, Rewinder + Label Taken Sensor, TT 300 DPI, US & EU Power Cord	5%
	PX45A00000000200	N	PX45A, Ethernet, TT 203 DPI, US & EU Power Cord	5%
PX65	PX65A00000000200	N	PX65A, Ethernet, TT 203 DPI, US & EU Power Cord	5%
	PX65A00000010200	N	PX65A, Ethernet, Rewinder + Label Taken Sensor, TT 203 DPI, US & EU Power Cord	5%
PM45	PM45CA1000030200	N	PM45, Compact, Full-touch Display, Ethernet, Fixed Hanger, Rewinder+Label Taken Sensor, TT, 203 DPI, No Power Cord	5%
	PM45A1100000201	N	PM45A, Full Touch Display, Ethernet, Bluetooth™, Wi-Fi NA, Fixed Hanger, TT, 203 DPI, US Power Cord	5%
PM65	PM65A11000030201	N	PM65A, 6-inch, Full Touch Display, Ethernet, Bluetooth V5.1, Wi-Fi6 North America (NA) IEEE 802.11 a/b/g/n/ac/ax, Rewinder + Label Taken Sensor, Fixed Hanger, Real Time Clock (RTC), Thermal Transfer (TT) 203 DPI, US Power Cord	5%
	PM65A1100000201	N	PM65A, 6-inch, Full Touch Display, Ethernet, Bluetooth V5.1, Wi-Fi6 North America (NA) IEEE 802.11 a/b/g/n/ac/ax, Fixed Hanger, Real Time Clock (RTC), Thermal Transfer (TT) 203 DPI, US Power Cord	5%

Honeywell

OFFER TERM: JANUARY 1, 2026 – MARCH 27, 2026

OFFER TERMS AND CONDITIONS

Promotion stack applies to specified SKUs (devices) only for new Project Registrations (PRs). Please ensure the PR references a qualifying SKU before quoting.

All Honeywell Productivity Solutions and Services Partners located in the U.S. and Canada are eligible to participate.

The Offer

Register your opportunity to receive a stackable 5% off list Project Registration discount on eligible Top Runner PR SKUs (Table B).

The 5% off list promotional discounts apply only to the Top Runner SKUs listed in Table A.

Accessories are eligible and included in the Project Registration (PR) Discount promotion. All eligible accessories will receive a 5% off list price promotional discount. Accessories covered under the promotion may not exceed the number of devices ordered.

Exclusions

Software, service, spare parts, RFID, media, print heads, platen rollers, and custom product are excluded from the promotion discount.

Stackability

Top Runner PR discounts are stackable with Performance Partner discounts and your current PR discounts.

Discounts cannot be combined or stacked with Price Exception (PE) discounts.

Other

PRs with orders that have shipped or are in won-or-closed status are not eligible.

Orders quoted and placed on existing PRs will only have promotional pricing applied during the initial validity period of the PR.

If an order is placed two weeks before the end of the current promotion but the distributor does not have inventory to ship within the promotional period and the SKU is no longer part of the upcoming Top Runner PR promotion, Honeywell will honor the current Top Runner PR discounts for 60 days following

the end of the current promotional period. The distributor must demonstrate the date the reseller P/O was placed, and that product is on backorder with Honeywell. If a qualifying order is not shipped within 60 days of the end of the current promotion, a PE can be requested to match promotion pricing subject to the usual PE approvals.

Any claims related to this rebate must be submitted a maximum of 30 days following the expiration date of the original PR.

Rebate credit will be processed and issued as part of the agreed claims process with the distributor.

Standard lead times apply to orders for devices.

Account must be current and in good standing to participate.

Standard terms and conditions of your distribution agreement and the Project Registration Policy apply.

All prices related to this promotion are in USD.

Honeywell has the right in its sole discretion to change, modify, or cancel the promotion at any time without notice to you.

For more information

automation.honeywell.com

Honeywell Industrial Automation

855 South Mint Street
Charlotte, NC 28202
800-582-4263
www.honeywell.com

Bluetooth is a trademark or registered trademark of the Bluetooth Special Interest Group (SIG) in the United States and other countries.

Android is a trademark or registered trademark of Google LLC in the United States and other countries.

FlexRange is a trademark or registered trademark of Honeywell International Inc. in the United States and other countries.

Top Runner PR Flyer | Nov 2025 | 11/25
© 2025 Honeywell International Inc.

THE
FUTURE
IS
WHAT
WE
MAKE IT

Honeywell